

43264 Toy Story Celebration Train & RC Car

Adapted by John Le and tested by Jolene Nemeth.

Kids aged 4 years old and up who love vehicles and trains will find all that and more in this Toy Story Celebration Train & RC Car (43264) LEGO® I Disney building set. Children learn to build as they celebrate the 30th anniversary of Disney and Pixar's hit Toy Story with a western-inspired train engine, 2 floats and a car. The floats have a seesaw and a spaceship. The buildable set has 4 LEGO I Disney and Pixar characters: Woody, Jessie, Bo Peep and Buzz Lightyear.

Disney and Pixar's Toy Story building set for kids – Thrill girls and boys aged 4 plus with this fun Toy Story Celebration Train & RC Car construction set that lets kids play out creative stories.

What's inside? – The buildable toy LEGO® I Disney set includes a train engine, 2 floats and a car, plus 4 LEGO I Disney minifigure character: Woody, Jessie, Bo Peep and Buzz Lightyear.

Features and functions for play – The LEGO® I Disney train engine attaches to the 2 floats, which include a seesaw and a spaceship with an opening cockpit, and the car has room for a rocket in back.

Disney and Pixar's Toy Story buildable playset – This LEGO® building set lets fans use their imaginations to hold a parade with adored characters and celebrate 30 years of Disney and Pixar's Toy Story.

Train measurements – The 206-piece LEGO® I Disney building set includes a train with an engine and 2 floats that, together, measure over 4 in. (10 cm) high, 12.5 in. (32 cm) long and 2 in. (5 cm) wide.

The front of the box shows a train hauling 2 floats and a car in front! There is Buzz Lightyear, Woody, Jessie, and Bo Peep! Buzz Lightyear is propped up in a spaceship as 1 display, and Bo Peep on a seesaw with 3 sheep on the other as another display!

The back of the box shows all the accessories that the set comes with! It comes with 4 minifigures, a cane, a bundle of sheep, 3 minifigure toys, a rocket, a spaceship, a train engine, 2 floats, and a car.

The top of the box shows a real size image of Woody!

The build is 206 pieces in total and is for ages 4+.

Welcome to Text-Based Building Instructions from Bricks for the Blind. Here is some helpful information on how to best use screen readers and browsers: bricksfortheblind.org/help-with-screen-readers. Before you start building, here are some terms we will be using:

- In Front of/Front: towards you.
- Behind/Back: away from you.
- Up: towards the ceiling.
- Down: towards the floor.
- Stud: the bump on a LEGO brick. Example: A 2x1 brick has two studs on it.
- Vertically: with the longest side going from front to back
- Horizontally: with the longest side going from left to right.
- Upright: pointing up towards the ceiling.
- Standing upright: The piece is perpendicular to the ground, like a wall.
- Lying flat: The piece is parallel to the ground, like a piece of toast which fell off the

table.

- That one/ppp: previously placed piece.
- Plate: piece with studs.
- Tile: smooth piece without studs (unless otherwise specified)
- A jumper plate is a 1x2 plate with a single stud on top, or a 1x3 plate with only two studs on top.
- "Anti-stud" is a term for the portion of a LEGO piece which accepts studs, like the bottom of a plate or brick.
- Symmetrically: a mirror image. Example: If you place a 2x1 brick with technic connector on the front wall at the right, connector to the front, and then place another such piece symmetrically on the back wall, at the right, the technic connector of the second piece should point to the back, since it will be placed symmetrically.
- Centered-vertically: even amount of space in front of and behind piece
- Centered-horizontally: even amount of space left and right of piece.
- Row: studs lined up horizontally (left to right/side to side).
- Column: studs lined up upright or vertically (top to bottom/back to front).

A note on LEGO Technic™ part names. These parts are somewhat different from regular LEGO bricks. Here are some definitions in case the builder or helper is not familiar with LEGO Technic™.

Axles - An axle is a connector which has an X shaped cross-section. Because their cross section is not round, anything connected to an axle using an axle-hole will rotate with that axle. Axles are longer than they are wide, and the length of an axle corresponds with how many bricks long it is. Aka a 3L axle is three bricks long. Axles come in a variety of lengths, with a 2L axle being the shortest available. They may be combined with pins, or have circular stops on them. A stop prevents the axle from sliding through an axle-hole at a specific point on the axle.

Pins - A pin is a connector which has a circular cross section and a flanged notch out of one or both ends. This flanged notch allows them to click into bricks with a pin-hole. Pins come with and without friction ridges, which are small bumps on the pin which prevent them from rotating freely. For standard pins, black is a high friction pin, and gray is a low friction pin. A standard length pin is two brick lengths long, with a stop in the middle. This prevents a brick from being pushed from one side of the pin to the other. A 1L pin is one brick long and still retains the stop, however it also includes a hollow stud at the other end. A 3L pin is three bricks long, and only contains a stop at one side, allowing two bricks to be pushed onto the other side of the pin. Pins may also have one side which is an axle.

Technic brick - a brick which contains one or more holes which accept technic pins.

Lift-arms - A lift-arm is a basic structural element, similar to a brick or a plate, but usually without any studs. It is a beam with rounded ends and with holes in it, with the same spacing as the studs on a LEGO brick. lift-arms come in a variety of lengths, including a 1x1 lift-arm which looks like a cylinder. Thick lift-arms are as wide as a LEGO brick, and thin lift-arms are half as wide as a LEGO brick, but not the same thickness as a LEGO plate! The holes in a lift-arm arm may accept axles or pins. They also come in a variety of shapes, including tees, ells and triangles.

Gears - A gear is a functional element. They are typically discs with teeth on the outside, there are also worm gears which look like a spiraling cylinder! Gears connected by axles transmit or even transform rotational motion!

Axle and Pin Connectors - These elements are typically smaller than lift-arms and are used to connect some combination of pins or axles. They might have pins or axles, as well as axle or pin-holes. They have a lot of different angle combinations! The simplest just connects two axles or pins together in a straight line.

Bushes/Bushings - LEGO Technic™ uses bushes largely as spacers, but they also can reduce friction between rotating parts, or can form useful elements such as handles. Bushes are typically light gray, generally cylindrical, and have an axle-hole running through the middle. They have a flange at the front and back to make them easier to pull on and off.

For builders with low vision, or a sighted building partner may want to follow along with the printed visual instructions that come with each kit, or PDF versions are always online at LEGO.com for each set: (<https://www.lego.com/en-us/service/buildinginstructions/43264>) As low vision users may benefit from viewing the instructions on a personal device where they can zoom in on content and use assistive technologies to enhance the visuals.

Sorting the pieces:

To begin a successful build, it helps to sort the pieces into groups, bags, or small containers. Have a friend or family member do this in advance following the instructions below. You will see that the pieces should be sorted according to the building steps in the kit. Doing this in advance makes locating the pieces for each step easier. See below on how to sort the pieces to correspond to the steps in this set. Number the containers using letters A-Z, numbers, or meaningful names. The parts will be sorted into one or a small number of steps in the instructions. Example: Steps 1-3 means collect all the parts used in steps 1,2 and 3, and put them in one container.

This LEGO set comes with 4 bags labeled 1 to 4, 1 set of instructions, and some loose pieces. Sort the pieces into groups or piles as described below. Note that where there are multiple colors of the same brick in a step, the colors will be split into 2 groups to make telling the difference easier for the builder! LEGO includes a few spare parts in case you lose something. Set these into their own group away from the rest, in case you need them later.

Bag 1 - Jessie and Train Engine

Group 1 - Pages 6-7.

Group 2 - Pages 8-19.

Group 3 - Pages 20-53.

Bag 2 - Buzz LightYear and Rocket Ship Float

Group 4 - Pages 4-5.

Group 5 - Pages 6-23.

Group 6 - Pages 24-49.

Group 7 - Pages 50-75.

Bag 3 - Bo Peep and Seesaw Float

Group 8 - Pages 4-7.

Group 9 - Pages 8-23.

Group 10 - Pages 24-45.

Group 11 - Pages 46-54.

Bag 4 - Woody and Car

Group 12 - Pages 4-5.

Group 13 - Pages 6-35.

Group 14 - Pages 36-47 and 1 blue 2x2 round brick from Pages 48-49.

Group 15 - Rest of Pages 48-49 and Pages 50-52.

Let's get to building!

Building Instructions (Bag 1, Book 1):

Group 1 - Jessie

Steps 6 to 7

Locate 1 blue pair of legs printed with a white and black cow design, 1 white torso printed with a gold collar, and brown belt with a gold buckle, 1 light tan head printed with eyes, a smile, and eyelashes, 1 red hat with hair, and 1 light orange bow tie. Assemble your minifigure, put the bow in the tiny hole that is in her hair, then put her away while we make the train engine!

Group 2 - Train Engine

Steps 8 to 9

Horizontally place a black 4x10 brick with 4 pins in front of you so the pins face the front and back.

Steps 10 to 11

Horizontally place a red 1x3 brick on the back right corner.

Steps 12 to 13

Place a black 2x2 plate with a socket on the 2 rightmost columns, in front of the ppp so the socket faces the right. Then vertically place a light grey 1x2 plate to the left of the ppp.

Steps 14 to 15

Horizontally place 2 dark tan 1x3 jumper plates, 1 in front of the other, on the 3 rightmost columns so they are centered vertically.

Steps 16 to 17

Horizontally place a red 1x3 brick on the front right corner. Then vertically place a red 1x4 plate to the left so it is centered vertically.

Steps 18 to 19

Horizontally place a red 1x4 plate on the front left corner. Then horizontally place a red 1x3 inverted arch brick to the right so it slopes to the left. Then repeat both parts symmetrically to the back.

Group 3 - Train Engine

Steps 20 to 21

Horizontally place a black 1x4 plate on the front right corner. Then repeat symmetrically to the back.

Steps 22 to 23

Horizontally place a red 1x3x1 panel on the front right corner so the wall faces the front. Then repeat symmetrically to the back.

Steps 24 to 25

Vertically place a red 1x2x2 brick on the 4th column from the right so it is centered vertically.

Steps 26 to 27

Place a red 1x1x3 brick on the front row in front of the ppp. Then repeat symmetrically to the back.

Steps 28 to 29

Vertically place a black 1x2x2 panel with a window in between the 2 ppp so it is centered vertically and the wall faces the left.

Steps 30 to 31

Vertically place a light orange 1x4 tile with 2 studs on top of the ppp so it is centered vertically.

Steps 32 to 33

Vertically place a light orange 1x2 brick on the 2nd column from the left so it is centered vertically. Then place 2 light orange 2x2 bricks, 1 to the right of the other, to the right of the ppp so they are centered vertically.

Steps 34 to 35

Vertically place a red 1x2 plate with 1x4 side studs on the leftmost column so it is centered vertically and the side studs face the left.

Steps 36 to 37

Vertically place a light orange 1x2 plate with 2x2 side studs sticking up on the leftmost column so it is centered vertically and the side studs face the left.

Steps 38 to 39

Vertically place a red 1x2 plate with bars on the short sides on the leftmost column so it is centered vertically.

Steps 40 to 41

Horizontally place a black 2x3 plate on the 3 leftmost columns so it is centered vertically. Then horizontally place another 1 to the right of the ppp.

Steps 42 to 43

Place 3 blue 2x2 half cylinder bricks, 1 to the right of the other, on the 6 leftmost columns so they are centered vertically and slope to the front and back.

Steps 44 to 45

Horizontally place 2 red 1x2 grill slope tiles, 1 in front of the other, upright on the bottom row of left-facing side studs so they slope outwards to the front and back.

Steps 46 to 47

Place a red 2x2 round tile with a stud upright on the 2x2 left-facing side studs.

Steps 48 to 49

Place a gold 1x1 star upright on the ppp.

Steps 50 to 51

Place a sand green 1x1 minifigure statue on the 4th column from the right, on the front row of the 1x4 tile with 2 studs.

Steps 52 to 53

Attach 2 gold wheels to the front-facing pins so the ridged sides face the front. Then repeat symmetrically to the back. Now put your build away while we make the next one!

Building Instructions (Bag 2, Book 1):

Group 4 - Buzz LightYear

Steps 4 to 5

Locate 1 white pair of legs printed with a lime green stripe, 1 white torso printed with a blue eagle, 1 lime green neck armor, 1 light tan head printed with eyes, lips, and a purple mask, and 1 lime green, purple, and white pair of wings. Assemble your minifigure, make sure the stud of the neck armor faces the back, then horizontally attach the wings to the back-facing stud so they are centered horizontally and slopes down to the left and right. Now put your minifigure away while we make his float!

Group 5 - Rocket Ship Float

Steps 6 to 7

Horizontally place a black 4x10 brick with 4 pins in front of you so the pins face the front and back.

Steps 8 to 9

Horizontally place a lime green 1x10 plate on the front row. Then repeat symmetrically to the back.

Steps 10 to 11

Place a black 2x2 plate with a socket on the 2 rightmost columns so it is centered vertically and the socket faces the right. Now place a white 2x2 plate to the left of the ppp so it is centered vertically.

Steps 12 to 13

Horizontally place an orange 2x3 plate on the 2nd - 4th columns from the left so it is centered vertically. Then place a green 2x2 brick to the right of the ppp.

Steps 14 to 15

Vertically place a black 1x2 plate with a triangular hitch and ball on the leftmost column so it is centered vertically and the ball faces the left.

Steps 16 to 17

Horizontally place a purple 2x4 tile on the 4 leftmost columns of studs so it is centered vertically. It should sit on 2x4 studs! Then repeat symmetrically to the right.

Steps 18 to 19

Horizontally place a white 1x8 tile on the front row so it is centered horizontally. Then repeat symmetrically to the back.

Steps 20 to 21

Place a purple 2x2 tile on top so it is centered horizontally and vertically.

Steps 22 to 23

Attach 2 gold wheels to the front-facing pins so the ridged sides face the front. Then repeat symmetrically to the back. Now put your build away while we make the next one!

Group 6 - Rocket Ship Float

Steps 24 to 25

Let's make a part! Horizontally place a dark grey 4x6 plate with inverted sloped sides in front of you so it slopes to the left and right.

Steps 26 to 27

Horizontally place a blue 2x4 brick on the back 2 rows so it is centered horizontally.

Steps 28 to 29

Vertically place 2 white 2x3 bricks, 1 to the right of the other, on the front 2 rows so they are centered horizontally and overhang 1 row to the front.

Steps 30 to 31

Horizontally place a dark grey 6x6 angled plate with inverted sloped sides underneath the front row so it is centered horizontally and the angled side is exposed 5 rows to the front.

Steps 32 to 33

Vertically place 2 orange 2x3 plates, 1 to the right of the other, on the 3rd to 5th rows from the front so they are centered horizontally.

Steps 34 to 35

Vertically place a green 1x3 plate on the 2nd column from the right, on the 3rd to 5th rows from the front. Then repeat symmetrically to the left.

Steps 36 to 37

Vertically place 2 white 1x3 jumper plates, 1 to the right of the other, on the 3rd to 5th rows from the front so they are centered horizontally.

Steps 38 to 39

Place a lime green 2x2 brick on the front 2 rows so it is centered horizontally.

Steps 40 to 41

Horizontally place a white 1x2 tile on the back row so it is centered horizontally.

Steps 42 to 43

Place a white 3x3 plate with a cutoff corner on the back left corner so 2 columns overhang to the left and the cutoff corner faces the front left. Then repeat symmetrically to the right.

Steps 44 to 45

Vertically place a light blue 2x3 sloped curved brick on the 2nd - 4th rows from the back so it is centered horizontally and slopes to the front.

Steps 46 to 47

Place a blue 2x2x2 slope brick on the back 2 rows on the 3rd and 4th columns from the left so it slopes to the left. Then repeat symmetrically to the right.

Steps 48 to 49

Vertically place a blue 1x4 tile with 2 studs on the leftmost column of the 4th to 7th rows from the back. Then repeat symmetrically to the right.

Group 7 - Rocket Ship Float

Steps 50 to 51

Vertically place a white 1x2 tile to the left of the front 2 rows of the ppp. Then repeat symmetrically to the left.

Steps 52 to 53

Vertically place a blue 2x3 wedge plate on the 2 leftmost columns of the front 3 rows so the angled side faces the left and the short end faces the front. Then repeat symmetrically to the right. Make sure they sit to the left and right of the 2x2 brick that is on the front 2 rows.

Steps 54 to 55

Horizontally place a blue 1x2 brick on the 2nd row from the back so it is centered horizontally.

Steps 56 to 57

Horizontally place a blue 2x4 brick on the back 2 rows so it is centered horizontally.

Steps 58 to 59

Horizontally place a yellow 1x2x2 brick with 2x2 side studs in front of the ppp so it is centered horizontally and the side studs face the front.

Steps 60 to 61

Place a white 2x2 plate upright on the 2x2 front-facing side studs.

Steps 62 to 63

Place a blue 2x2x2 slope brick on the 2 leftmost columns of the 3rd and 4th rows from the back so it slopes to the left. Then repeat symmetrically to the right.

Steps 64 to 65

Vertically place a blue 1x2 brick on each of the 2 ppp.

Steps 66 to 67

Vertically place 2 blue 1x2 plates with a stud and a clip, 1 to the right of the other, on the 3rd and 4th rows from the back so they are centered horizontally and the clips are in the front. They should only sit on 2 studs and the upright parts!

Steps 68 to 69

Horizontally place a dark grey 1x4 tile on the back row so it is centered horizontally. Now horizontally place a white and blue 2x4 tile printed with a light blue eagle in front of the ppp so it is centered horizontally.

Steps 70 to 71

Horizontally place 2 blue 1x2 slope bricks, 1 to the right of the other, on the front row so they slope outwards to the left and right.

Steps 72 to 73

Place 2 transparent red 1x1 round tiles, 1 to the right of the other, on the back row of the 2 leftmost columns. Then repeat symmetrically to the right.

Steps 74 to 75

Attach a transparent 4x6 angled windshield to the 2 top-facing clips so it slopes to the front. Now bring back your previous sub-build and horizontally place it in front of you so the hitch with a ball faces the left. Now horizontally place your part upright on the 2x2 tile so the studs face the front and the windshield faces up.

Now bring back your train engine build and horizontally place it in front of you so the socket faces the right. Now attach the left-facing ball of your current build and attach it to the socket! Now put it away while we make the next part!

Building Instructions (Bag 3, Book 1):

Group 8 - Bo Peep

Steps 4 to 5

Locate 1 large pink 2x4x2 dress, 1 torso printed with a light blue shirt, a pink dress with laces, 1 light tan head printed with eyes, lips, and eyelashes, and 1 blonde hair with a pink hat. Assemble your minifigure and make sure the dress slopes to the back!

Steps 6 to 7

Attach a light blue cane to your minifigure so the curved part is on top and faces the front. Now let's make a part! Place a tan 2x2 round plate in front of you. Then place a white 3x3 dome brick printed with 3 sheep on top. Now put everything away while we make her float!

Group 9 - Seesaw Float

Steps 8 to 9

Horizontally place a black 4x10 brick with 4 pins in front of you so the pins face the front and back.

Steps 10 to 11

Horizontally place a light blue 1x2 plate with a clip on the short side on the back left corner so the clip faces the left. Then repeat symmetrically to the right.

Steps 12 to 13

Place a white 2x2 plate on the back 2 rows so it is centered horizontally. Then vertically place a blue 2x3 tile on the back 3 rows to the left of the ppp. Then repeat symmetrically to the right.

Steps 14 to 15

Place a black 2x2 plate with a socket on the 2 rightmost columns so it is centered vertically and the socket faces the right.

Steps 16 to 17

Place a green 2x2 plate with 2 side studs on the front 2 rows so it is centered horizontally and the side studs face the front.

Steps 18 to 19

Vertically place a black 1x2 plate with a triangular hitch and ball on the leftmost column so it is centered vertically and the ball faces the left. Then vertically place an orange 1x2 plate to the right of the ppp.

Steps 20 to 21

Horizontally place a green 1x3 plate on the front row on the 2nd to 4th columns from the left. Then repeat symmetrically to the right.

Steps 22 to 23

Horizontally place a lime green 1x10 plate on the back row so it is centered horizontally.

Group 10 - Seesaw Float

Steps 24 to 25

Place a white 2x2 plate on the 2nd and 3rd rows from the back so it is centered horizontally. Then horizontally place a green 2x4 tile to the left and right of the ppp. They should only sit on 2 studs!

Steps 26 to 27

Horizontally place a green 1x2 sloped curved tile on the front left corner so it slopes to the left. Then repeat symmetrically to the right.

Steps 28 to 29

Horizontally place a green 1x2 tile on the front row on the 3rd and 4th columns from the left. Then repeat symmetrically to the right.

Steps 30 to 31

Place a light grey 2x2 brick with a pin on the back 2 rows so it is centered horizontally and the pin faces the front.

Steps 32 to 33

Horizontally place a white 1x4 slope brick on the back left corner so it slopes to the left. Then repeat symmetrically to the right.

Steps 34 to 35

Horizontally place a pink 1x4 plate on the back row so it is centered horizontally. Then horizontally place a pink 1x2 plate in front of the ppp so it is centered horizontally.

Steps 36 to 37

Let's make a part! Horizontally place a green 2x8 plate upside down in front of you. Then horizontally place a light grey 2x4 plate with a pinhole underneath on top so it is centered horizontally.

Steps 38 to 39

Flip your part over so it is right side up and horizontal. Now place a pink 2x2 tile with a stud on the 2 leftmost columns.

Steps 40 to 41

Horizontally attach the pinhole of your part to the front-facing pin of the 2x2 brick with a pin of your sub-build so the 2x2 tile with a stud is on the left.

Steps 42 to 43

Place a green 1x1 round plate with 3 leaves upright on the left front-facing side stud so the leaves face the left. Then repeat symmetrically to the right.

Steps 44 to 45

Place 2 light yellow 1x1 round flower plates, 1 to the right of the other, upright on the front-facing side studs.

Group 11 - Seesaw Float

Steps 46 to 47

Let's make a part! Place a white 2x2 tile with an upright 5L bar with a stud in front of you. Now place a light blue 4x4 half cone brick on top so it is centered. Then place a pink 2x2 round tile on top.

Steps 48 to 49

Place your part on the back 2 rows so it is centered horizontally.

Steps 50 to 51

Place a sand green 1x1 minifigure statue on the front row, to the right of the 2x2 tile with a stud so there is a 1 column gap in between them.

Steps 52 to 53

Attach 2 gold wheels to the front-facing pins so the ridged sides face the front. Then repeat symmetrically to the back.

Steps 54 to 55

Locate the 3x3 dome brick printed with sheep you previously made and then place it on the 2x2 tile with a stud that is on the front left corner so it is centered.

Now bring back your main build so it is horizontal and the socket faces the right. Now attach the ball and hitch of your part to the right-facing socket of the main build! Now put it away while we make the next part!

Building Instructions (Bag 4, Book 1):

Group 12 - Woody

Steps 4 to 5

Locate 1 blue pair of legs, 1 torso printed with a yellow and red shirt, and a white and black cow print jacket, 1 tan head printed with eyes, lips, and a smile, and a light brown cowboy hat with brown hair. Assemble your minifigure then put him away while we make the next part!

Group 13 - Car

Steps 6 to 7

Vertically place a dark grey 2x4 plate with bricks with axle holes on the sides in front of you.

Steps 8 to 9

Horizontally place a blue 2x8 brick on top so it is centered vertically and overhangs 6 columns to the left.

Steps 10 to 11

Vertically place a dark grey 2x4 plate with bricks with axle holes on the sides underneath the 2 leftmost columns so it is centered vertically.

Steps 12 to 13

Vertically place a lime green 1x2 plate with 2x2 side studs sticking up on the rightmost column so it is centered vertically and the side studs face the right. Then place a blue 1x1 round plate in front and behind the ppp.

Steps 14 to 15

Horizontally place 2 blue 2x6 plates, 1 in front of the other, on top so they are centered horizontally and vertically.

Steps 16 to 17

Vertically place 2 blue 1x2 plates with 2x2 side studs hanging down, 1 in front of the other, on the leftmost column so the side studs face the left.

Steps 18 to 19

Horizontally place a lime green 1x3 brick on the front right corner. Then repeat symmetrically to the back. Now horizontally place a black 2x3 brick in between the 2 ppp.

Steps 20 to 21

Horizontally place a black 2x3 plate to the left of the ppp so it is centered vertically.

Steps 22 to 23

Horizontally place a green 1x2 sloped curved brick on the front row so it is centered horizontally and slopes to the front. Then repeat symmetrically to the back.

Steps 24 to 25

Place a lime green 3x4 sloped curved brick printed with blue water splashes and a black rounded part on the 3 leftmost columns so it slopes to the left.

Steps 26 to 27

Vertically place 2 blue 1x6 plates with inverted sloped sides, 1 to the right of the other, on the 2 rightmost columns so they slope to the front and back.

Steps 28 to 29

Vertically place a lime green 1x2 tile on the 3rd column from the right so it is centered vertically.

Steps 30 to 31

Vertically place a lime green 2x4 plate on the 2 rightmost columns so it is centered vertically. Now horizontally place a lime green 1x2 tile on the front right corner. Then repeat symmetrically to the back.

Steps 32 to 33

Vertically place 2 black 1x2 plates with a stud and a clip, 1 in front of the other, upright on the left-facing side studs so they are centered horizontally and the clips are on top. Now place a white 1x1 round tile printed with an eye upright on the top left-facing side stud of the back row. Then repeat symmetrically to the front.

Steps 34 to 35

Horizontally place a lime green 1x4 double sloped curved tile upright on the left-facing side studs.

Group 14 - Car

Steps 36 to 39

Place a white 5L antenna on the back row of the 3rd column from the right. Now place a transparent red 1x1 round brick on top so the stud faces up.

Steps 40 to 41

Place a sand green 1x1 minifigure statue on the front row of the 3rd column from the right.

Steps 42 to 43

Locate 4 red wheels with black tires and a light blue 1L axle. Attach them to the front-facing and back-facing axle holes of your sub-build.

Steps 44 to 45

Attach a blue bar grill to the left-facing clips so the rounded parts overhang to the bottom.

Steps 46 to 47

Let's make a part! Let's make a rocket! Place a blue 2x2 round brick in front of you. Then place a red 2x2x2 cone brick on top. Now insert a yellow 6L axle into the bottom-facing anti-stud. Now insert the pinhole of a light grey 2x2 tile with a pinhole with an upright 2x2 tile with a pinhole into the bottom-facing axle so the anti studs hang down and face the left.

You will have an extra blue 2x2 round brick. Save it for later!

Group 15 - Car

Steps 48 to 49

Place a blue 2x2 round brick from group 14 underneath the ppp so the axle goes through it. Now place a red 2x2 round brick underneath the ppp.

Steps 50 to 51

Place a transparent orange 1x1 cone brick underneath the ppp so it is centered.

Step 52

Bring back your sub-build and make sure it is horizontal and the side studs face the right. Now attach the 2x2 left-facing anti-studs of your part to the right-facing side studs so the 2x2x2 cone brick faces up.

Congratulations on finishing your build! Would you like to inspire other blind people to build LEGO sets? Let's feature your build on our [Builders page](#). It's easy and we will do all the work! Just contact us at info@bricksfortheblind.org and together we will make it happen!

Please [signup](#) for our newsletter and follow us on [Facebook](#) and [Instagram](#) to be the first to know when new instructions are available!

We hope you enjoyed building your LEGO set! Bricks for the Blind is able to create these text-based building instructions thanks to generous donations from our builders. If you enjoy the instructions we create, please consider making a \$5 donation at: <https://www.gofundme.com/f/bricks-for-the-blind-gofundme>.

Bricks for the Blind is a registered tax exempt 501(c)(3) corporation.

At the end of the instruction booklets are advertisements for the following 3 LEGO Disney Theme kits:

43256 Anna's Sleigh Adventure

43274 Minnie's Pet Hotel

43264 Toy Story Celebration Train & RC Car

